

## [Palm Cockatoos Cockatoos aka Black Palm Cockatoos](#)

### **Palm Cockatoos Cockatoos aka Black Palm Cockatoos**



© 2009 Photo by lil moe72  
<http://www.flickr.com/people/lilmoe72/>

Licensed under Creative Commons  
Attribution 2.0 or later version

### [Cockatoo Information](#)

---

The **Palm Cockatoo** (*Probosciger aterrimus*), also known as the **Goliath Cockatoo**, is a large smoky-grey or black [parrot](#) of the [cockatoo](#) family.

It is the only member in subfamily Microglossinae and the only member of the monotypic genus, *Probosciger*. Its unique position within the cockatoo family has been confirmed by molecular studies (Brown and Toft, 1999, Astuti, 2004).

## Distribution:

The Palm Cockatoo is distributed in rainforests and woodlands of [New Guinea](#) and northern Queensland, [Australia](#). A majority of all captive-bred Palm Cockatoos are currently owned by Natalie Copp, David Roberts, Mike Tyson, Thomas Woodward and Ina Zuncke. The collective breeding program has been deemed a success by the Palm Cockatoo Conservation in Papua New Guinea.



**Palm Cockatoo**, *Probosciger aterrimus*  
© 2009 Photo by **darkwingchicken**  
<http://www.flickr.com/people/23323999@N08/>

Licensed under Creative Commons  
Attribution 2.0 or later version



**Palm Cockatoo**, *Probosciger aterrimus*  
© 2009 Photo by **darkwingchicken**  
<http://www.flickr.com/people/23323999@N08/>

Licensed under Creative Commons  
Attribution 2.0 or later version



## Description:

The Palm Cockatoo is 55–60 cm (22–24 in) in length and weighs 910–1,200 gm. It is a distinctive bird with a large crest and has one of the largest bills of any parrots (only the [Hyacinth Macaw](#)'s is larger). This powerful bill enables Palm Cockatoos to eat very hard nuts and seeds that other species have difficulty accessing. The bill is unusual as the lower and upper mandibles do not meet for much of its length, allowing the tongue to hold a nut against the top mandible while the lower mandible works to open it. The Palm Cockatoo also has a distinctive red cheek patch that changes colour when the bird is alarmed or excited.

## Call:

The Palm Cockatoo makes four different kinds of vocalisations, including a "hellow" call that is surprisingly human-like. There are distinct dialects throughout the species' range. It has a unique display where the bird (typically the male) drums a large branch against a dead bough or tree, creating a loud noise that can be heard up to 100 m away. It is possible that females can assess the durability of the nesting hollow by the resonance of this drumming display.





**Palm Cockatoo, *Probosciger aterrimus***  
© 2009 Photo by **dauidfntau**  
<http://www.flickr.com/people/96936558@N00/>

Licensed under Creative Commons Attribution 2.0 or later version

## Breeding

Palm Cockatoos only lay one egg and have one of the lowest breeding success rate reported for any species of parrot (Murphy et al. 2003). Off-setting this is their very long life-span. Captive Palm Cockatoos can live up to 90 years of age, but wild Palm Cockatoos are thought to live up to 40–60 years of age (Heinsohn et al. 2009, in press).

Breeding takes place inside tree hollows, which are typically like standing pipes. Fires play an important role in the destruction and creation of nest hollows. Fires allow the colonisation of microorganisms and termites which enter the tree and start hollowing out the inside. Cyclones are important in the final stage of nest hollow development.



**Palm Cockatoo, *Probosciger aterrimus***  
© 2009 Photo by **darkwingchicken**  
<http://www.flickr.com/people/23323999@N08/>

Licensed under Creative Commons Attribution 2.0 or later version

## Status

The Palm Cockatoo is still relatively common in Cape York, but is threatened there by habitat loss, particularly bauxite mining around Weipa and altered fire regimes elsewhere. Palm Cockatoos are hunted in New Guinea. This species is

in high demand for the pet trade due to its unusual appearance. The Palm Cockatoo is currently evaluated as Least Concern on the IUCN Red List of Threatened Species. It is listed on Appendix I of CITES.

Copyright: Wikipedia. This article is licensed under the [GNU Free Documentation License](#). It uses material from Wikipedia.org. Additional information added by Avianweb.



**Palm Cockatoo**, *Probosciger aterrimus*  
© 2009 Photo by **Doug Janson**  
<http://www.pbase.com/dougj>

Licensed under  
Creative Commons  
Attribution 2.0 or  
later version



**Palm Cockatoo** (*Probosciger aterrimus*)

© 2009 Photo by **bob|P-&S**

<http://bidalmelayu.wordpress.com/>

Licensed under Creative Commons Attribution 2.0 or later version

---

## Other Useful Resources

- [Photos of the Different Cockatoo Species \(for Identification\)](#)
- [Common Health Problems of Cockatoos](#)
- [Cockatoo Species](#)
- [What is it: Male or Female?](#)
- [Cockatoo Species Data](#) (Range, Eggs and Incubation)
- [The Taxonomy Of Cockatoos](#)
- [Cockatoos as Pets](#)
- [Cockatoo Nutrition / Diet](#)

---

## Taxonomy:

**Genus:** English: Palm Cockatoos ... Dutch: Zwarte Kakatoes ... German: Arakakadus ... French: Cacatoès Palmier

**Species:** Scientific: *Probosciger aterrimus aterrimus* ...English: Palm Cockatoos ...Dutch: Palmkakatoe, Arakakatoe, Zwarte Kakatoe ... German: Palmkakadu, Ararakakadu, Schwarzkakadu ... French: Cacatoès grande de Palmier

**Sub-Species / Races Including Nominated:** stenolophus, aterrimus

**CITES I** - Protected Species

**Distribution:** Aru Island, Misool Western Papuan Island ([Maluku Province](#)) in Western [New Guinea](#), Northern [Australia](#), Southern [New Guinea](#), Cape York Peninsula

---

### Sub-species:

Goliath Palm Cockatoos:

**Genus:** English: Palm Cockatoos ... Dutch: Zwarte Kakatoes ... German: Arakakadus ... French: Cacatoès Palmier

**Species:** Scientific: *Probosciger aterrimus goliath* ... English: Greater Palm Cockatoos ... Dutch: Grote Palmkakatoe ... German: Großer Palmkakadu ... French: Cacatoès à petite huppe de Palmier

**CITES I** - Protected Species ... **Distribution:** Western Papuan Islands, [New Guinea](#), Western [New Guinea](#), Papua

Van Oort's Palm Cockatoos:

**Genus:** Scientific: *Probosciger* ... English: Palm Cockatoos's ... Dutch: Zwarte Kakatoes ... German: Arakakadus ... French: Cacatoès Palmier

**Species:** Scientific: *Probosciger aterrimus stenolophus* ... English: Van Oort's Palm Cockatoos ... Dutch: Van Oorts' Palmkakatoe ... German: Van Oorts Palmkakadu ...French: Cacatoès de Palmier van Oort

**CITES I** - Protected Species ... **Distribution:** Japen Island in Geelvink Bay, Western [New Guinea](#), Northern [New Guinea](#), Western [New Guinea](#), Eastern Papua

---

**Please Note:** The articles or images on this page are the sole property of the authors or photographers. Please contact them directly with respect to any copyright or licensing questions. Thank you.

BeautyOfBirds strives to maintain accurate and up-to-date information; however, mistakes do happen. If you would like to correct or update any of the information, please [send us an e-mail](#). THANK YOU!